Listing of Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A gaming apparatus, comprising:

a display unit capable of displaying three-dimensional images, said display unit comprising a display screen having a plurality of display pixels and a lenticular screen coupled with said display screen, wherein said lenticular screen is configured to provide nine perspective views that include a combination of three horizontal perspective views and three vertical perspective views:

a value input device;

a controller operatively coupled to said display unit and said value input device, said controller comprising a processor and a memory operatively coupled to said processor,

said controller being programmed to cause said display unit to generate a game display relating to one of the following games: poker, blackiack, slots, keno or bingo.

said controller being programmed to receive image data relating to a combination of a plurality of perspective views of an image, said plurality of perspective views being interlaced to form said image when displayed simultaneously,

said controller being programmed to cause said display unit to generate a threedimensional display from said image data, said three-dimensional display-comprising a first perspective view of said image when said image is viewed from a first angle and a second perspective view of said image when said image is viewed from a second angle, said first and second perspective views being displayed simultaneously, wherein said controller is programmed to receive image data relating to a combination of the nine perspective views of said image, said nine perspective views being interlaced to form said image when displayed simultaneously, and

Application No. 10/661,983 Reply to Office Action of June 12, 2007 said controller being programmed to determine a value payout associated with an

outcome of said game.

2. (Original) A gaming apparatus as defined in claim 1 wherein said display unit comprises a

video display unit that is capable of generating three-dimensional video images from said image

data.

(Original) A gaming apparatus as defined in claim 2,

wherein said controller is programmed to cause a video image comprising an image of at

least five playing cards to be displayed if said game comprises video poker,

wherein said controller is programmed to cause a video image comprising an image of a

plurality of simulated slot machine reels to be displayed if said game comprises video slots,

wherein said controller is programmed to cause a video image comprising an image of a

plurality of playing cards to be displayed if said game comprises video blackjack,

wherein said controller is programmed to cause a video image comprising an image of a

plurality of keno numbers to be displayed if said game comprises video keno,

wherein said controller is programmed to cause a video image comprising an image of a

bingo grid to be displayed if said game comprises video bingo.

4. (Original)A gaming apparatus as defined in claim 1 wherein said display unit additionally

comprises at least one mechanical slot machine reel,

5. (Original) A gaming apparatus as defined in claim 1 wherein said display unit comprises a flat

panel display unit.

6. (Original) A gaming apparatus as defined in claim 1 wherein said lenticular screen is aligned

in juxtaposition with said display screen.

Application No. 10/661,983

Reply to Office Action of June 12, 2007

3

7. (Original) A gaming apparatus as defined in claim 1, wherein said controller is programmed to

cause said display unit to generate said game display as said three-dimensional display from said

image data.

8, (Currently Amended) A gaming apparatus as defined in claim 1, wherein said lenticular

screen includes slanted lenticules wherein said controller is programmed to receive image

data relating to a combination of nine perspective views of said image, said nine perspective

views being interlaced to form said image when displayed simultaneously.

9. (Original) A gaming apparatus as defined in claim 1, wherein said lenticular screen comprises

a first side comprising a plurality of lenticules and a second side comprising a substantially

smooth surface

10. (Original) A gaming apparatus as defined in claim 9, wherein said second side comprises an

anti-reflective surface

11. (Original) A gaming apparatus as defined in claim 9, wherein each of said display pixels

comprise a plurality of sub-pixels arranged in a plurality of columns and wherein each of said

lenticules are aligned with one of said columns.

12. (Original) A gaming system comprising a plurality of gaming apparatuses as defined in claim

1, said gaming apparatuses being interconnected to form a network of gaming apparatuses.

13. (Original) A gaming system as defined in claim 12, wherein said gaming apparatuses are

4

interconnected via the Internet

Application No. 10/661.983

14. (Currently Amended) A gaming apparatus, comprising:

a display unit capable of displaying three-dimensional images, said display unit comprising a display screen having a plurality of display pixels and a lenticular screen coupled with said display screen, wherein said lenticular screen is configured to provide nine perspective views that include a combination of three horizontal perspective views and three vertical perspective views;

a value input device;

a controller operatively coupled to said display unit and said value input device, said controller comprising a processor and a memory operatively coupled to said processor,

said controller being programmed to receive data representing a payline selection made by a player,

said controller being programmed to cause a game display to be generated by said display unit, said game display comprising images of a plurality of slot machine symbols each of which is associated with a respective slot machine reel,

said controller being programmed to receive image data relating to a combination of a plurality of perspective views of an image, said plurality of perspective views being interlaced to form said image when displayed simultaneously,

said controller being programmed to cause said display unit to generate a threedimensional display from said image data, said three-dimensional display comprising a first perspective view of said image when said image is viewed from a first angle and a second perspective view of said image when said image is viewed from a second angle, said first and second perspective views being displayed simultaneously wherein said controller is programmed to receive image data relating to a combination of the nine perspective views of said image, said nine perspective views being interlaced to form said image when displayed simultaneously, and,

Application No. 10/661,983 Reply to Office Action of June 12, 2007 said controller being programmed to determine a value payout associated with an

outcome of said slots game, said controller being programmed to determine said outcome of said

slots game based on a configuration of said slot machine symbols.

15, (Original) A gaming apparatus as defined in claim 14 wherein said display unit comprises a

video display unit that is capable of generating three-dimensional video images.

16, (Original) A gaming apparatus as defined in claim 15, wherein said controller is programmed

to cause a video image comprising an image of a plurality of simulated slot machine reels to be

displayed on said display unit.

17. (Original) A gaming apparatus as defined in claim 14 wherein said display unit additionally

comprises at least one mechanical slot machine reel.

18. (Original) A gaming apparatus as defined in claim 14 wherein said controller is programmed

to receive payline data representing a number of paylines selected by the player.

19. (Original) A gaming apparatus as defined in claim 14 wherein said display unit comprises a

flat panel display unit.

20. (Original) A gaming apparatus as defined in claim 14 wherein said lenticular screen is

aligned in juxtaposition with said display screen.

21. (Original) A gaming apparatus as defined in claim 14, wherein said controller is programmed

to cause said display unit to generate said game display as said three-dimensional display from

said image data.

22. (Currently Amended) A gaming apparatus as defined in claim 14, wherein said lenticular

screen includes slanted lenticules wherein said controller is programmed to receive image

6

Application No. 10/661,983

data relating to a combination of nine perspective views of said image, said nine perspective

views being interlaced to form said image when displayed simultaneously.

23. (Original) A gaming apparatus as defined in claim 14, wherein said lenticular screen

comprises a first side comprising a plurality of lenticules and a second side comprising a

substantially smooth surface.

24, (Original) A gaming apparatus as defined in claim 23, wherein said second side comprises an

anti-reflective surface.

25. (Original) A gaming apparatus as defined in claim 23, wherein each of said display pixels

comprise a plurality of sub-pixels arranged in a plurality of columns and wherein each of said

lenticules are aligned with one of said columns.

26. (Original) A gaming system comprising a plurality of gaming apparatuses as defined in claim

14, said gaming apparatuses being interconnected to form a network of gaming apparatuses.

27. (Currently Amended) A gaming method, comprising:

causing a game display of one of the following games to be generated: poker, blackjack,

slots, keno or bingo,

converting pixel or sub-pixel image data for the game into nine perspective views

that include a combination of three horizontal perspective views and three vertical

perspective views, wherein the pixel or sub-pixel conversion occurs horizontally and

vertically in relation to a lenticule:

receiving image data relating to the nine a combination of a plurality of perspective

views of an image, said nine plurality of perspective views being interlaced to form said image

7

when displayed simultaneously,

Application No. 10/661,983

causing a three-dimensional display to be generated from said image data, said three-dimensional display comprising the nine perspective views that include the combination of three horizontal views and three vertical views, wherein each a first perspective view of said image when said-image is viewed from a first separate angle and a second perspective view of said image when said image is viewed from a second angle, said first and second nine perspective views being displayed simultaneously, and

determining a value payout associated with an outcome of said game represented by said video image.

28. (Original) A gaming method as defined in claim 27, additionally comprising: causing said game display to be generated as said three-dimensional display from said image data.

29. (Original) A gaming method as defined in claim 27, additionally comprising:

receiving image data relating to a combination of nine perspective views of said image, said nine perspective views being interlaced to form said image when displayed simultaneously.

30. (Currently Amended) A memory having a computer program stored therein, said computer program being capable of being used in connection with a gaming apparatus, said memory comprising:

a memory portion physically configured in accordance with computer program instructions that would cause the gaming apparatus to generate a game display representing one of the following games: poker, blackjack, slots, keno or bingo,

a memory portion physically configured in accordance with computer program instructions that would cause the gaming apparatus to convert pixel or sub-pixel image data for the game into nine perspective views that include a combination of three

Application No. 10/661,983 Reply to Office Action of June 12, 2007 horizontal perspective views and three vertical perspective views, wherein the pixel or sub-

pixel conversion occurs horizontally and vertically in relation to a lenticule:

a memory portion physically configured in accordance with computer program

instructions that would cause the gaming apparatus to receive image data relating to the nine a

combination of a plurality of perspective views of an image, said nine plurality of perspective

views being interlaced to form said image when displayed simultaneously,

a memory portion physically configured in accordance with computer program

instructions that would cause the gaming apparatus to generate a three-dimensional display to be

generated from said image data, said three-dimensional display comprising the nine perspective

views that include the combination of three horizontal views and three vertical views.

wherein each a first perspective view of said image when said image is viewed from a first

separate angle and a second perspective view of said image when said image is viewed from

a second angle, said first and second nine perspective views being displayed simultaneously.

a memory portion physically configured in accordance with computer program

instructions that would cause the gaming apparatus to determine a value payout associated with

an outcome of said one game.

31. (Original) A memory as defined in claim 30 wherein said memory additionally comprises a

memory portion physically configured in accordance with computer program instructions that

would cause the gaming apparatus to generate said game display as said three-dimensional

display from said image data.

32. (Original) A memory as defined in claim 30 wherein said memory additionally comprises a

memory portion physically configured in accordance with computer program instructions that

9

would cause the gaming apparatus to receive image data relating to combination of nine

Application No. 10/661.983

perspective views of said image, said plurality of perspective views being interlaced to form said image when displayed simultaneously.